



FIGURE 6. Distribution of Ovatus Group species.

***Aglaothorax segnis* Rehn & Hebard, 1920 comb. restored**

Common name. Sluggish Shieldback.

Type material. The holotype male housed at ANSP is from Crestline, Lincoln County, Nevada, taken from Joshua tree at 6000 feet elevation. Images of the type are available at OSFO (Cigliano *et al.* 2025). TOPOTYPES EXAMINED: (n=10) **USA, NV, Lincoln Co.**, 13 miles E Panaca on State Highway 319, 37.790280, -114.150913, 1950 m, 11-VIII-1988, d B Weissman, d C Lightfoot, CAS, 1♂, 1♀; 16 miles E Panaca Summit, 37.764601, -113.897074, 11-VIII-1988, d B Weissman, d C Lightfoot, CAS, 1♂; 18 miles E Panaca on State Highway 319, 37.790059, -114.059173, 1720 m, 11-VIII-1988, d B Weissman, d C Lightfoot, CAS, 1♂; 7 miles E of Panaca, 37.790450, -114.260999, 1829 m, 20-VIII-1982, d B Weissman, CAS, 2♂; Beaver dam State Park, 37.521362, -114.072202, 12-IX-1973, RC Bechtel, GM Nishida, Nd AC, 4♂.

Distribution. Mountain ranges of southeastern Nevada at high elevation. The type locality is in the Cedar Range. Other populations are known from the Clover Mountains and Bristol Range.

Material examined. (n=7) **All USA, NV, Lincoln Co.**, 27 mi. N Pioche on Hwy. 93, 38.32116, -114.452214, 1981 m, 20-VIII-1982, d B Weissman, CAS, 2♂; Hwy. 319, 1.9 miles west of Utah State Line, 37.72564, -114.0844, 1804 m, 19-VIII-2009, d B Weissman, d C Lightfoot, CAS, 1♂; Oak Spring Summit Picnic Area, along US93, 9.3 mi. E of Caliente, 37.5923, -114.6828, 1901 m, 4-VIII-2005, JA Cole, LACM, 1♂; same data except JAC, 2♂; Pioche, 37.929685, -114.452214, 1848 m, 20-VIII-1958, RC Bechtel, Nd AC, 1♀.